




Scotchint™

Sun Control Window Film

RE35AMARL



For Color and Appearance on our sample cards,
No UV Protection or Abrasion Coating has been Applied

Inside View

Product Benefits

- Reduces air conditioning costs.
- Reduces glare and eye discomfort.
- Furniture and fabrics have a longer acceptable life.
- Increases personal safety from flying glass.

Performance Data

With RE35AMARL	1/4" Single Clear	1/4" Single Tinted	Insulated Clear	Insulated Tinted
Solar Heat Reduction	68%	52%	54%	45%
Heat Loss Reduction	10%	10%	6%	6%
Glare Reduction	66%	64%	64%	62%
UV Blocked	99%	99%	99%	99%
Total Solar Energy Rejected	74%	71%	68%	74%

Technical Data

Glass Type	Applied Product	Shading Coefficient	Visible Light		Emissivity	"U" Value
			Reflection	Transmitted		
1/4" Single Clear	None	0.94	8%	88%	0.84	1.06
	RE35AMARL	0.30	55%	30%	0.68	0.95
1/4" Single Tinted	None	0.69	5%	50%	0.84	1.06
	RE35AMARL	0.33	22%	18%	0.68	0.95
Insulated Clear	None	0.81	14%	78%	0.84	0.50
	RE35AMARL	0.37	53%	28%	0.68	0.47
Insulated Tinted	None	0.55	8%	45%	0.84	0.50
	RE35AMARL	0.30	22%	17%	0.68	0.47

3M Consumer Safety and Light Management

3M Center, Building 223-2S-24
St. Paul, MN 55144-1000
Phone: 800-480-1704
Fax: 651-736-0611
www.3M.com/windowfilm

Printed in U.S.A.

© 3M 2003 70-0703-7189-6 (13.5)ii